

harmony

PRENATAL TEST

Patient's name (name, first name)

Patient's date of birth

Non-invasive screening test for trisomies 21, 18, 13
 and X/Y-chromosomal aneuploidy

Information about pregnancy at the time of blood collection

Date of blood collection: Time: :

Gestational age (weeks + days): + (min. 10 + 0, preferably according to ultrasound)

singleton pregnancy twin pregnancy
A Vanishing Twin can lead to incorrect results or test failures in the Harmony® Test. The Harmony® Test should therefore not be performed in this situation.

IVF / ICSI, if so:
 self egg donor non-self egg donor

Age of patient (own egg cell)/donor at the time of egg donation: years

Patient weight: kg Patient height: cm

Date of ultrasound:

Abnormalities
 in pregnancy:

Please place the included barcode here:



redraw / repeat test

Declaration of the requesting physician according to the Genetic Diagnostics Act

I hereby confirm that I have genetically consulted the patient in accordance with local laws. The patient was informed about the purposes and limitations of the Harmony® Test. I hereby request this prenatal genetic analysis.

Requesting physician

Stamp

Name of the physician in plain text:

Place, date

Signature of the requesting physician

Harmony® Test variant

Trisomy 21, 18, 13

Additional options *selectable only together with a Harmony® Test variant*

- + Determination of fetal sex
- + Analysis of sex chromosomal aneuploidies ¹

¹ Monosomy X, Klinefelter-, Triple-X-, XYY- and XXYY-syndrome and only for singleton pregnancies

Written consent for the performance of the Harmony® Test according to the Genetic Diagnostics Act

With my signature on this form I give my consent to have the Harmony® Test performed from my blood sample. I confirm that I have received counseling and explanations from my responsible physician. I have had the opportunity to ask questions and discuss the test with my physician or someone my physician has designated. I was informed about the purposes and limitations of the Harmony® Test. I am aware that I may obtain professional genetic counseling if desired before signing this consent. I was informed that the Harmony® Test is a screening test and not intended or validated for diagnosis. Clinical studies demonstrate high accuracy for fetal trisomy detection, but not all trisomic fetuses will be identified by the Harmony® Test. I am aware that I may revoke my consent at any time in written form to my physician. In addition, in the event of revocation I am obligated to pay for the services rendered so far. I was informed that I have the right not to be informed about the result. I hereby consent to the processing, use, storage and transmission (e.g. by fax) of my personal data by Cenata GmbH. The test results will be passed to me solely by the responsible physician.

I agree to the storage and usage of sample material for quality assurance purposes (a non-selection is treated like "no")

yes no

Place, date

Patient's signature

Patient phone number or email address

Information concerning the Harmony® Prenatal Test

The Harmony® Test is a laboratory-based screening test that is intended to aid in the risk determination of fetal trisomy 21, trisomy 18, and trisomy 13 in women of at least 10 weeks of gestation. As a primary sample maternal blood is taken in cfDNA blood collection tubes.

The Harmony® Test is a screening test and not intended or validated for diagnosis. Clinical Studies demonstrate a high accuracy for fetal trisomy detection, but not all trisomic fetuses will be detected.

Some fetuses with a trisomy may have "LOW RISK" results. Some euploid (not trisomic) fetuses may have "HIGH RISK" results. Results should be considered in the context of other clinical criteria. It is recommended that results are communicated in a setting that ensures appropriate counseling.

In rare cases the Harmony® Test or single test options (analysis of X/Y chromosomal aneuploidy, determination of fetal sex) are not evaluable.



0086 0057 10